

## Ultraclean RI Technical Data Sheet



### Description

Ultrawave's Ultraclean RI is an alkaline solution that provides temporary corrosion protection.

### Applications

Suitable for ferrous materials/components to provide corrosion protection after cleaning.

### Directions for Use

Dilute with water to give a 2% to 20% (20mL to 200mL per Litre) solution before use with water. Ensure thorough mixing of the solutions. Do not mix with other solutions.

The required dosage will provide corrosion protection. Higher dosage levels will provide a longer time period of corrosion protection. Apply by immersion only, allow to dry and do not rinse off. Do not heat the solution, do not apply to hot surfaces or live electrical equipment. Please refer to the product safety data sheet before use. Use only as directed.

### Technical Data

These figures are typical and should not be interpreted as specifications, refer to the product safety data sheet for details

Characteristic	Value/Description
Appearance	White
Odour	Ammonia
pH (@ 1%)	12
Relative Density at 20°C	1.01 - 1.03

Supplied as 6 x 1Litre Bottles (SKU: F50030) or as 25L Drum (SKU: F50029).

### Disposal

Transfer to a suitable container and arrange for collection by specialised disposal company

### Storage

Store in a cool, dark and well ventilated environment. Keep container tightly closed. Shelf-life up to 12months when stored correctly.

Specifications are subject to change for continual improvements